

SAFETY DATA SHEET

300201_04

Revision Date 02/11/2019

1. Product and company identification**Product identifiers**

Product name : HPV Positive Control Cells, RUO

Product Number : 200226, C23008

Brand : IncellDx, Inc.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Details of the supplier of the safety data sheetCompany : IncellDx, Inc.
1541 Industrial Road
San Carlos, CA 94070
USA

Telephone : +1 650-777-7630

Fax : +1 650-587-1528

Emergency telephone number

Emergency Phone # : (650) 777-7630

2. HAZARD IDENTIFICATION**Hazard Type**

Health, Fire and Environmental Hazard. This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

GHS Classification	Flammable liquids, Category 2; H225 Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301 Specific Target Organ Toxicity (single exposure), Category 2; H371
Hazard Statements:	H331: Toxic if inhaled. H311: Toxic in contact with skin H301: Toxic if swallowed
Precautionary Statements:	P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P284: Wear respiratory protection. P264 : Wash skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P261 Avoid breathing mist/vapours/ spray.
Symbols and Indications of Danger:	Dgr: Danger



Principle Route of Exposure:

Acute Effects: Eye	In case of contact, immediately flush eyes with a large amount of water for at least 15 minutes while holding the eyelids open to assure that the entire surface is flushed. Seek medical attention.
Acute Effects: Skin:	Remove contaminated clothing and shoes. In case of contact, immediately wash the contact area thoroughly with soap and a large amount of water. Seek medical attention.
Acute Effects: Inhalation:	Remove patient to fresh air. If symptoms of intoxication or vision problems are apparent, seek immediate medical attention.
Acute Effects: Ingestion:	Harmful if swallowed. Remove patient to fresh air. If symptoms of intoxication or vision problems are apparent, seek immediate medical attention.
Chronic Effects:	Methanol is a flammable liquid. Inhalation of vapors may cause non-specific discomfort (nausea, weakness), drowsiness with anesthetic effects and possible blindness. Swallowing as little as 4 ounces (118 mL) may cause blindness and in extreme cases death. Target organs are the liver, kidney, and central nervous system.
Additional Information:	The product contains no substances which at their given concentration, are considered to be hazardous to health.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CHEMICAL</u>	<u>% Weight</u>	<u>CAS #:</u>
HPV PreservCyt	Methyl Alcohol	60%	67-56-1
	Water	40%	7782-13-5

GHS Classification:	Flammable liquids, Category 2; H225 Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311
----------------------------	---

Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

4. FIRST AID MEASURES

General Advice:	Wash contaminated clothing before reuse. Consult a physician if irritation persists.
Oral Exposure:	Avoid swallowing the material. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious or convulsing person. If conscious, rinse mouth with water. Seek medical attention.
Inhalation Exposure:	Remove patient to fresh air. If symptoms of intoxication or vision problems are apparent, seek immediate medical attention.
Skin Exposure:	Remove contaminated clothing and shoes. In case of contact, immediately wash the contact area thoroughly with soap and a large amount of water. Seek medical attention.
Eye Exposure:	In case of contact, immediately flush eyes with a large amount of water for at least 15 minutes while holding the eyelids open to assure that the entire surface is flushed. Seek medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing media:	Use dry chemical, alcohol-resistant foam or carbon dioxide for the surrounding fire.
Unusual Fire and Explosive Hazards:	May emit toxic and/or explosive vapors under fire conditions.
Flash Point:	80 °F (26.5 °C)
Auto ignition Temperature:	725 °F (385 °C)
Flammability Statement:	This product is flammable (flammable limits LEL=6.7 and UEL=36)
Specific hazards arising from the chemical:	Hazardous combustion products may include carbon monoxide, formaldehyde, and carbon dioxide.
Protective equipment and precautions for firefighters:	Wear self-contained breathing apparatus and protective clothing to prevent exposure to eyes and skin. Flame invisible in daylight.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Data for 100% Methyl Alcohol (67-56-1): Precautionary Statement - P-phrases: P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233: Keep container tightly closed. P280: Wear protective gloves/protective clothing/eye protection/face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P309+P310: IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician. (Unofficial P-phrase combination)
Environmental Precautions:	Data for 100% Methyl Alcohol (67-56-1): Endangerment of drinking water and environment: Maybe a hazard to drinking water sources when very large quantities get into groundwater. Inform the responsible authorities
Method of Containment:	Collect leaking and spilled liquid in sealable containers as far as possible.
Methods of Clean-up:	Clean up of spills requires no special equipment or procedures. Clean with copious amounts of water.
Other Information:	Not Applicable

7. HANDLING AND STORAGE

Handling:	Wear appropriate PPE. See section 8.
Storage:	Store as labeled and away from excessive heat and sources of ignition.

8. EXPOSURE CONTROL

Respiratory Protection:	Ventilation, local exhaust, or breathing protection.
Eye Protection:	Safety goggles. Safety spectacles.
Skin Protection:	Protective gloves. Protective clothing.
Ingestion:	Do not eat, drink, or smoke during work.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Slightly cloudy colorless liquid with alcohol type odor.
Physical State:	Liquid
Odor:	Not Available
Odor Threshold:	Not Available
pH:	Not Available
Boiling Point:	148 °F/64 °C
Evaporation Rate:	>1
Vapor Density:	~1.1
Vapor Pressure:	127 mm Hg
Relative Density:	Not Available
Auto-Ignition Temperature:	Not Available
Water Solubility:	Dilutable
Flammability:	Flammable
Flash Point:	80 °F (26.5 °C)
Viscosity:	Not Available
Oxidizing Properties:	Not Available
Explosive Properties:	Not Available
Additional Parameters:	See Datasheet/Product Insert for other Product Information.

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions.
Conditions to avoid:	Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion hazard. The vapor mixes well with air, explosive mixtures are easily formed.
Incompatibility Materials to Avoid:	Strong oxidizing agents and reducing agents
Hazardous Decomposition Products:	Carbon Monoxide, Carbon Dioxide
Hazardous Polymerization:	Will not occur
Possibility of hazardous reactions:	Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion hazard. The vapor mixes well with air, explosive mixtures are easily formed.

11. TOXICOLOGY MEASURES

Acute Toxicity

The following toxicological information is for the hazardous ingredient in pure form.

LD50 Oral:	Data for 100% Methyl Alcohol: LD50 oral rat: 5630 mg/kg Reference: Gigiena Truda i Professional'nye Zabolevaniya. Labor Hygiene and Occupational Diseases. Vol. 19(11), Pg. 27, 1975. Acutely Toxic
LD50 Dermal:	Data for 100% Methyl Alcohol: LD50 dermal Rabbit : 15800 mg/kg Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974. Acutely Toxic

LC50 Inhalation:	Data for 100% Methyl Alcohol: LC50 inhalation rat: 83,9 mg/l/4 h Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74, 1974. Acutely Toxic
<u>Chronic Toxicity</u>	
Carcinogenicity:	Not Available Data for 100% Methyl Alcohol: Main toxic effects: Acute: Irritation to the eyes, CNS depression, systemic damage to the eyes Chronic: Neurological symptoms, irritation to the nasal mucous membranes through exposure to higher vapor concentrations, damage to the skin due to repeated contact.
Irritation:	
Corrosivity:	Not Available
Sensitization:	Not Available
Neurological Effects:	Not Available
Mutagenic Effects:	Not Available
Reproductive Effects:	Not Available
Developmental Effects:	This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed: March 16, 2012
Target Organ Effects:	Data for 100% Methyl Alcohol: Eyes, skin, respiratory system, central nervous system, gastrointestinal tract
Other adverse effects:	Data for 100% Methyl Alcohol: Effects of short-term exposure The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in loss of consciousness. Exposure could cause blindness and death. The effects may be delayed. Medical observation is indicated. Effects of long-term or repeated exposure Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the central nervous system. This may result in persistent or recurring headaches and impaired vision.

12. ECOLOGICAL MEASURES

Ecotoxicity:	Data for 100% Methyl Alcohol: Acute Toxicity to Fish - LC50 Fish (96 hours) Minimum: 15000 mg/l Maximum: 29400 mg/l Median: 24000 mg/l Study number: 8 Reference: Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N,N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull. Environ. Contam. Toxicol. 37(4):615-621; Bengtsson, B.E., L. Renberg, and M. Tarkpea 1984. Molecular Structure and Aquatic Toxicity – an Example with C1-C13 Aliphatic Alcohols. Chemosphere 13(5/6):613-622
Persistence/Degradability:	Not Available
Mobility in Environmental Media:	Not Available
Bioaccumulation/Accumulation:	Not Available

13. DISPOSAL MEASURES

Waste Disposal Method: Treatment, storage and transportation must comply with all Federal, State, and Local laws concerning health and pollution.

Contaminated Packaging: Avoid contact with skin and clothing. Place contaminated packaging in a break proof outer vessel and dispose on in compliance with national and local regulations.

US EPA Waste Number: Not Available

14. TRANSPORTATION MEASURES

DOT: UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label

IATA: UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label

ADR (road)/ RID (rail): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label

IMDG (sea): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label

General Transport Regulations UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted quantity label

15. REGULATORY MEASURES

This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

Not Listed

State Regulations

California Proposition 65:

This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1
Date Listed: March 16, 2012

State Right to Know Act

Chemical Name	Methyl Alcohol
Massachusetts:	Listed
New Jersey:	Listed
Pennsylvania:	Listed
New York:	Listed
Rhode Island:	Listed

International Inventories

Chemical Name	Methyl Alcohol
TSCA:	Listed

DSL: Listed
NDSL: Not Listed
EINECS: Listed
CHINA: Listed
KECL: Listed
JAPAN: Listed
AICS: Listed

EU Regulations

Annex I Index#: Data for 100% Methyl Alcohol:
Annex I Index# : 603-001-00-X

Classification: Flammable liquids, Category 2; H225
Acute toxicity, Category 3, inhalation; H331
Acute toxicity, Category 3, dermal; H311
Acute toxicity, Category 3, oral; H301
Specific Target Organ Toxicity (single exposure), Category 2; H371

Hazard Statements: H331: Toxic if inhaled.
H311: Toxic in contact with skin.
H301: Toxic if swallowed.

Precautionary Statements: P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284: Wear respiratory protection.
P264 : Wash skin thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P261 Avoid breathing mist/vapors/ spray.

Symbols and Indications of Danger: Dgr: Danger

Specific Concentration Limits: STOT SE 1; H370: C >= 10 %
STOT SE 2; H371: 3 % <= C < 10 %

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. IncellDx, Inc. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.incelldx.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.